

CINCHING WRIST STRAP

Parts # DRWS, DRWS-R, DRWSSTRAP, DRWSTETH



Instruction Manual

6	Manual de instrucciones	Español
---	-------------------------	---------



- ✗ Do not throw instructions away.
- ⚠ Read and understand instructions before using this equipment.

Important Notes

- Cinching Wrist Straps are suitable only for hand tools weighing less than 6 lb (2,72 kg) that have manufacturer's intended attachment features, such as Guardian attachment point products, rings or holes, that can be properly secured with the carabiner.
 - This product is intended for use by personnel who are trained and knowledgeable regarding working with hand tools at height and/or near machinery.
 - Inspect before each use for damage and proper function:
 1. Check all hardware for abrasion, deformity, cuts and sharp edges.
 2. Check for tears, cuts, fraying, abrasion, discoloration, burns, holes, mold, unsplicing, pulled or broken stitches, or other signs of wear or damage.
 3. Do not use and always quarantine if any of the above apply or if damaged or not functioning correctly.
 - Cinching Wrist Straps are intended for use on the wrist ONLY.
-

Safety Information

- ▲ **WARNING!** Do not use near moving parts, mechanisms, running machinery or rotating equipment.
 - ▲ May contain electrically conductive materials.
 - ▲ Do not alter product in any way from its original state.
 - ▲ Use only with tools that are specifically designed for tethering, or by using appropriate Guardian brand attachment products.
-

Applicable Safety Standards

Meets or exceeds:

- ANSI / ISEA 121-2018
-

Maintenance, Cleaning, and Storage

Clean with a damp cloth and mild soap, wipe off excess and thoroughly dry.

Store this product away from tools and other objects that could cause damage.

Components



Part # DRWS

Specifications

Part #	Description	Max. Tool Weight	Clearance Distance*
DRWS	Cinching Wrist Strap and Tether	6 lb (2,72 kg)	12 in (30,5 cm)
DRWS-R	Cinching Wrist Strap and Tether	6 lb (2,72 kg)	24 in (61 cm)
DRWSSTRAP	Replacement Wrist Strap	6 lb (2,72 kg)	N/A
DRWSTETH	Replacement Tool Tether	6 lb (2,72 kg)	12 in (30,5 cm)
NOTE: DRWS contains DRWSSTRAP and DRWSTETH combined			
*To determine how far a tool could fall before stopping add clearance distance of all products used.			

Installation

Step 1

Adjust and tighten the wrist strap around the wrist using the hook and loop. Ensure the strap remains tight throughout use.



Step 2


Attach carabiners as shown. Ensure carabiners are closed and remain tight throughout use.

Materials

Ballistic nylon, reinforced elastic polyester, and stainless steel.

Labels

1



2



1

Guardian
 Part #: DRWS-R
 Max Tool Weight: 6 lb (2,72 kg)
 Max Tether Length: 24 in (60,9 cm)
 Meets ANSI/ISEA 121-2018
 Made in Taiwan
 MM/YY
 1500742 Rev A

2

Guardian
 Part # DRWSTETH
 Lot #:
 Max Tool Weight: 6 lb (2,72 kg)
 Max Tether Length: 24 in (60,9 cm)
 Meets ANSI/ISEA 121-2018
 1500767 Rev A



Inspection Log

Serial No:	Date of first issue:
Model #:	User:

[illegible]

CORREA PARA MUÑECA

Número de Partes: DRWS; DRWS-R;
DRWSSTRAP; DRWSTETH

Manual de instrucciones

✗ No tire las instrucciones.

⚠ Lea y comprenda las instrucciones antes de utilizar este equipo.

Información de seguridad

⚠ **ADVERTENCIA:** No utilizar cerca de piezas móviles, mecanismos, maquinaria en funcionamiento ni equipos giratorios.

⚠ Puede contener materiales conductores de electricidad.

⚠ No alterar el producto respecto de su estado original.

⚠ Utilizar únicamente con herramientas diseñadas específicamente para la sujeción, o utilizando productos de sujeción adecuados de la marca Guardian.

Mantenimiento, limpieza y almacenamiento

Limpiar con un paño húmedo y jabón suave, eliminar el exceso y secar bien.

Guardar este producto lejos de herramientas y otros objetos que puedan causar daños.

Notas importantes

■ Las correas para muñeca solo son adecuadas para herramientas manuales que pesen menos de 2.72 kg (6 lb) y que tengan las características de sujeción previstas por el fabricante, como los productos de punto de sujeción de Guardian, anillos u orificios, que se pueden asegurar con el mosquetón.

■ Este producto solo puede ser utilizado por personal capacitado y conocedor del trabajo con herramientas manuales en altura y/o cerca de maquinaria.

■ Inspeccionar antes de cada uso para comprobar si hay daños y si funciona correctamente:

1. Verificar que ninguna pieza presente abrasiones, deformaciones, cortes ni bordes afilados.
2. Verificar que no haya desgarros, cortes, partes deshinchadas, abrasión, decoloración, quemaduras, agujeros, moho, partes descosidas, puntadas arrancadas o rotas u otros signos de desgaste o daños.
3. No utilizar y poner siempre en cuarentena si se da cualquiera de los casos anteriores o si está dañado o no funciona correctamente.

■ Las correas para muñeca están diseñadas para usarse SOLO en la muñeca.

Normas de seguridad aplicables

Cumple o supera:

■ ANSI/ISEA 121-2018

Materiales

Nylon balístico, poliéster elástico reforzado y acero inoxidable.

Especificaciones

Número de pieza	Descripción	Peso máx. de la herramienta	Distancia de seguridad*
DRWS	Correa para muñeca y correa de sujeción	6 lb (2.72 kg)	12 pulg. (30.5 cm)
DRWS-R	Correa para muñeca y correa de sujeción	6 lb (2.72 kg)	24 pulg. (61 cm)
DRWSSTRAP	Correa para muñeca de repuesto	6 lb (2.72 kg)	N/A
DRWSTETH	Correa de sujeción de herramienta de repuesto	6 lb (2.72 kg)	12 pulg. (30.5 cm)

NOTA: DRWS incluye DRWSSTRAP y DRWSTETH combinados

*Para determinar a qué distancia podría caer una herramienta antes de detenerse, agregue la distancia de seguridad a todos los productos utilizados.

Instalación

Paso 1

Ajuste y apriete la correa para muñeca utilizando el gancho y el bucle. Asegúrese de que la correa permanezca apretada durante todo el uso.

Paso 2

Coloque los mosquetones como se muestra. Asegúrese de que los mosquetones estén cerrados y permanezcan apretados durante todo el uso.

Etiquetas

1

Guardian

Número de pieza: DRWS-R

Peso máx. de la herramienta:
6 lb (2.72 kg)

Longitud máx. de la correa de sujeción:
24 pulg. (60.9 cm)

Cumple con la norma
ANSI/ISEA 121-2018

Fabricado en Taiwán

MM/YY

1500742 Rev. A

2

Guardian

Número de pieza DRWSTETH

N.º de lote:

Peso máx. de la herramienta:
6 lb (2.72 kg)

Longitud máx. de la correa de sujeción:
24 pulg. (60.9 cm)

Cumple con la norma
ANSI/ISEA 121-2018

1500767 Rev A



USA

607 East Sam Houston Parkway South
Suite 800
Pasadena, TX 77503
800 466 6385
customer.service@guardianfall.com

CANADA

580 Notre Dame Avenue, Unit 16
Sudbury, ON
P3C 5L2
800 466 6385
customer.service@guardianfall.com

WARRANTY: Guardian warrants to Buyer that all products are free from defects in material, workmanship, and design (if a Supplier-responsible design), however this warranty does not cover conditions resulting from normal wear and tear, neglect, abuse, accident or otherwise. Guardian's obligations under this warranty apply for the lifetime of the products and are limited to the replacement of product only. This warranty is not transferable to any other Guardian service and does not apply to product that is resold after having been put into service. No other person, firm, entity, or the like is authorized to assume or assign for Guardian any other liability in connection with the sale or use of Guardian's products. Furthermore, this warranty is void if any product is changed or altered in any way, or if the product is used in a manner other than for which it is intended. There are no implied warranties of merchantability or fitness for a particular purpose, which are specifically disclaimed.